# goodwall SEED WALLCOVERINGS

non-woven backed vinyl

MADE IN JAPAN

2023 - 2027.3

sangetsu | goodrich

goodwall SEED How it all began.

# goodwall SEED non-woven backed vinyl WALLCOVERINGS

#### PHYSICAL PROPERTIES

Roll Size 92 cm x 50m Backing Non-woven

FIRE SAFETY
Class "A"- ASTM E-84

#### ENVIRONMENTAL AND HEALTH

goodwall SEED is an environmental - green product as it is free of lead, mercury, cadmium, and chromium.

#### **BATCHING**

Since slight variations in color may occur between different production batches, it is important than in one single area, rolls from the same production batch are used.

#### OTHER CHARACTERISTICS

Contains a mold inhibitor that makes it difficult for mold to grow. These additives will not prevent mold growth if residual wall moisture is in excess of 4% and/or is allowed to accumulate in or behind the walls.

#### ORIGIN

Made in Japan

# goodwall SEED collection





p: product c: color

01. GSD1004 p: Drifting Mist c: Red Maple

02. GSD1010 p: Fluffy Cotton c: Chocolate

03. GSD1013 p: Twinkle Tone c: Slate Blue


04. GSD1020 p: Smart Weave c: Camel













p: product c: color

05. GSD1025 p: Shy Silk c: Cherry Tree

06. GSD1027 p: Scattered Rays c: Coffee Brown

07. GSD1030 p: Scattering Papyrus c: Brass

> 08. GSD1035 p: Hidden Season c: Summer Dune

# goodwall SEED collection





p: product c: color

09. GSD1039

p: Woven Grass c: Juncus

10. GSD1044 p: Rhombus Overlap c: Gray

11. GSD1048

p: Earnest Stream c: Bronze

12. GSD1053

p: Decorated Bone c: Turtle





# GSD1001

#### Drifting Mist

Snow

Backing

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

: Non-woven

Weight (approx) : 320 g/sqm

# GSD1002

#### Drifting Mist

Mud

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 


Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# goodwall SEED GSD1003 Drifting Mist Autumn Sky Roll Size : 92.4cm $\times 50$ m Composition : Vinyl Backing : Non-woven Weight (approx) $: 320 \, g/sqm$ Pattern Match : Straight Random





# goodwall SEED GSD1006 Drifting Mist Thunderstorm Roll Size : 92.4cm $\times 50$ m Composition : Vinyl Backing : Non-woven Weight (approx) $: 320 \, g/sqm$ Pattern Match : Straight Random

# GSD1007

Fluffy Cotton

Cream

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1008

Fluffy Cotton

Latte


Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 





### GSD1011

Twinkle Tone

Ivory

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

### GSD1012

Twinkle Tone Light Gray

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Viny

icking : Non-woven

Weight (approx) : 320 g/sqn

### GSD1013

Twinkle Tone Slate Blue

Roll Size  $: 92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing

: Non-woven

Weight (approx) : 320 g/sqm

### GSD1014

Twinkle Tone Cream

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx) :  $320 \, g/sqm$ 

### GSD1015

Twinkle Tone Beige Gray

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1016

Smart Weave

Sand

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1017

#### Smart Weave Gainsboro

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1018

#### Smart Weave Indigo Blue

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1019

Smart Weave

Tan

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1020

#### Smart Weave

#### Camel

Roll Size : 92.4cm  $\times 50$ m

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1021

#### Shy Silk Snowing Field

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

 $Weight \, (approx) \, : \, 320 \, g/sqm$ 

# GSD1022

#### Shy Silk Sparkling Lake

Roll Size

: 92.4cm  $\times 50$ m

Composition

: Vinyl

Backing

: Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1023

#### Shy Silk Shining River

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1024

#### Shy Silk Rice Field

Roll Size

: 92.4cm  $\times 50$ m

Composition

: Vinyl

Backing

: Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

Pattern Match

: Straight Random

# GSD1025

#### Shy Silk Cherry Tree

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx) :  $320 \, g/sqm$ 

# GSD1026

#### Scattered Rays

#### Cream

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1027

#### Scattered Rays Coffee Brown

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1028

#### Scattered Rays Cloud Gray

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1029

#### Scattering Papyrus Platinum

Roll Size

:  $92cm \times 50m$ 

Composition

: Vinyl

Backing

: Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1030

### Scattering Papyrus

#### Brass

Roll Size :  $92 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1031

#### Scattering Papyrus Bronze

Roll Size

:  $92cm \times 50m$ 

Composition

: Vinyl

Backing

: Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1032

#### Scattering Papyrus Silver

Roll Size

:  $92cm \times 50m$ 

Composition

: Vinyl

Backing

: Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1033

#### Scattering Papyrus

#### Titanium

Roll Size :  $92 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1034

### Hidden Season Spring Ski

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1035

#### Hidden Season Summer Dune

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1036

### Hidden Season Autumn Sea

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1037

### Hidden Season Winter Falls

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1038

Woven Grass

Straw

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx) :  $320 \, g/sqm$ 

# GSD1039

### Woven Grass

Juncus

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1040

#### Woven Grass

#### Dusty Miller

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1041

### Woven Grass

#### Typha

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx) :  $320 \, g/sqm$ 

## GSD1042

### Rhombus Overlap

#### Cream

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

## GSD1043

### Rhombus Overlap

#### Beige

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1044

### Rhombus Overlap Gray

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1045

# Earnest Stream Limestone

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1046

### Earnest Stream Sandstone

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

## GSD1047

### Earnest Stream Golden Sand

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

## GSD1048

### Earnest Stream

#### Bronze

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1049

### Earnest Stream Basaltina

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

, 1111y1

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

## GSD1050

### Decorated Bone Crocodile

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

## GSD1051

### Decorated Bone Elephant

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1052

#### Decorated Bone Snake

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

# GSD1053

#### Decorated Bone

#### Turtle

Roll Size :  $92.4 \text{cm} \times 50 \text{m}$ 

Composition : Vinyl

Backing : Non-woven

Weight (approx)  $: 320 \, g/sqm$ 

### goodwall SEED Index

Product name	Page	Product number	Color name	Weight (approx g/sqm)	Pattern r Horizontal	epeat(cm) / Vertical	Pattern match	Backing		l Size / Length(m)
Drifting Mist	1	GSD1001	Snow	320	-	-	Straight Random	Non-woven	92.4	50
	2	GSD1002	Mud							
	3	GSD1003	Autumn Sky							
	4	GSD1004	Red Maple							
	5	GSD1005	Space View							
	6	GSD1006	Thunderstorm							
Fluffy Cotton	7	GSD1007	Cream	320	-	-	Straight Random	Non-woven	92.4	50
	8	GSD1008	Latte							
	9	GSD1009	Hazelnut							
	10	GSD1010	Chocolate							
Twinkle Tone	11	GSD1011	Ivory	320	-	-	Straight Random	Non-woven	92.4	50
	12	GSD1012	Light Gray							
	13	GSD1013	Slate Blue							
	14	GSD1014	Cream							
	15	GSD1015	Beige Gray							
Smart Weave	16	GSD1016	Sand	320	-	-	Straight Random	Non-woven	92.4	50
	17	GSD1017	Gainsboro							
	18	GSD1018	Indigo Blue							
	19	GSD1019	Tan							
	20	GSD1020	Camel							
Shy Silk	21	GSD1021	Snowing Field	320	-	-	Straight Random	Non-woven	92.4	50
	22	GSD1022	Sparkling Lake							
	23	GSD1023	Shining River							
	24	GSD1024	Rice Field							
	25	GSD1025	Cherry Tree							
Scattered Rays	26	GSD1026	Cream	320	-	-	Straight Random	Non-woven	92.4	50
	27	GSD1027	Coffee Brown							
	28	GSD1028	Cloud Gray							
Scattering Papyrus	29	GSD1029	Platinum	320	-	-	Straight Random	Non-woven	92	50
	30	GSD1030	Brass							
	31	GSD1031	Bronze							
	32	GSD1032	Silver							
	33	GSD1033	Titanium							
Hidden Season	34	GSD1034	Spring Ski	320	-	-	Straight Random	Non-woven	92.4	50
	35	GSD1035	Summer Dune							
	36	GSD1036	Autumn Sea							
	37	GSD1037	Winter Falls							
Woven Grass	38	GSD1038	Straw	320	-	-	Straight Random	Non-woven	92.4	50
	39	GSD1039	Juncus							
	40	GSD1040	Dusty Miller							
	41	GSD1041	Typha							
Rhombus Overlap	42	GSD1042	Cream	320	-	-	Straight Random	Non-woven	92.4	50
	43	GSD1043	Beige							
	44	GSD1044	Gray							
Earnest Stream	45	GSD1045	Limestone	320	-	-	Straight Random	Non-woven	92.4	50
	46	GSD1046	Sandstone							
	47	GSD1047	Golden Sand							
	48	GSD1048	Bronze							
	49	GSD1049	Basaltina							
Decorated Bone	50	GSD1050	Crocodile	320	-	-	Straight Random	Non-woven	92.4	50
	51	GSD1051	Elephant							
	52	GSD1052	Snake							
	53	GSD1053	Turtle							



#### INSTALLATION AND MAINTENANCE GUIDELINES

#### BEFORE YOU BEGIN

Examine the material carefully to ensure that the pattern, colour, and quality are satisfactory and as ordered. Check that the quantity and dimensions match the required specifications, prior to cutting. In the event that any discrepancies are found, STOP and contact us before proceeding.

We recommend that the wall moisture content does not exceed 4% using a reputable moisture meter, and that active moisture infiltration, condensation, and/or accumulation - particularly in warm, humid climates - is not present. If walls show mould, mildew or visible moisture damage, or if moisture content exceeds recommendations, do not proceed with installation until the condition has been fully corrected under the direction of a qualified professional. We will not be responsible for any performance or quality issues if moisture problems are not addressed before or following installation.

#### HANGING GUIDELINES

Wallcovering rolls are numbered consecutively and should be cut and installed in straight sequence, starting with the lowest numbered roll. All strips should be hung in sequence as they are cut from the roll, using full widths of material, whenever possible. Install the wallcovering under permanent lighting conditions to evaluate colour and texture uniformity.

When matching patterns, measure the wall height, allowing for pattern match, add four inches (approx. 10cm), and table trim using a straight edge to ensure alignment across seams. Large, dominant pattern repeats require more careful planning as far as starting point, ceiling line, chair rails, door/window headers, etc. Patterns are meant to match at eye level and may run off slightly at the top and bottom of the wall.

If any defect, colour variation, or unacceptable pattern effect is noticeable after three panels are cut and hung, STOP and contact us immediately. We cannot accept any claims on labour or material after more than three lengths have been installed.

#### ADHESIVE APPLICATION

Apply a uniform coat of a premixed vinyl wallcovering adhesive to the back of the material using a short-napped paint roller or stiff bristle brush (a pasting machine can be used at the installer's discretion). Fold each sheet over and take booking time for the adhesive to penetrate the backing of the vinyl material, and to avoid paste drying at the edges.

#### **INSTALLATION**

Hang the first strip to a plumb line, overlapping the ceiling and baseboard, within the time the adhesive is effect. Use a stiff bristle brush to ensure that the wallcovering makes contact with the wall. Smooth from the middle to the outside edges, being careful not to stretch the material, and work out all air bubbles. Trim at the ceiling and baseboard with a sharp razor blade. For matched patterns, butt the second strip to the edge of the first and smooth out firmly. When double cutting non-matching patterns, place a 2-3 inches (5-8cm) wide strip behind the seam to avoid scoring the wall. Flatten seams exerting light pressure with a seam roller. Low-adhesive painter's tape can be used to keep the face of the seams clean. Before applying the next strip, trim the top and bottom as with the first panel, and proceed in the same manner around the room.

Avoid cutting narrow widths of material for placement above doors and below windows. Vertical joints should not occur less than six inches (approx. 15cm) from inside or outside corners. When trimming at chair rails and ceilings, always use a broad knife rather than a straight edge. Take extra care in keeping the adhesive off the face of the wallcovering.

Remove excess adhesive immediately with a natural sponge, frequently rinsed in clear, warm water, and dry with a soft, lint free cloth. After installation, the walls and wallcovering should be monitored for potential moisture or vapour infiltration, which must be promptly eliminated.

#### **MAINTENANCE**

Most wallcovering is easily cleaned using clear, warm water and mild soap with a natural sponge. A soft cloth or towel should only be used to tamp dry (do not rub). Stubborn stains can be removed with a neutral detergent. Do not use solvent-based cleaning agents, lacquer thinners, nail polish remover, pine oil, or cleaning agents containing bleach, which may cause discoloration over time.

Note: The above is intended only as a guideline. Wallcovering installations must conform to current hanging instructions. The installer has final responsibility for proper installation and evaluation of jobsite conditions.

Good Walls, Good Designs, Good Life. Colour your space with this collection.

