



Goodrich Global
SINCE 1983

[*T*] TAKUMI
TAKUMI Artisan Crafted Wallcoverings

sangetsu | goodrich



A COLLABORATION STORY

Takumi, a Japanese word meaning artisan, is the essence of this stunning collection. As a Sangetsu Group collaboration, this book brings crafted pieces of art to the wall.

Natural materials, along with centuries of knowledge passed down from the ages, make this selection of wallcovering patterns unique and timeless. Foils are applied by hand, in small pieces, to create geometric forms that are one-of-a-kind. Washi papers are derived from pulp that still begin and end with the artisan's hand. Weavers combine old, traditional weaving methods with new technology to make intricate, complex woven patterns.

While exploring the collection, connect with the stories of these time-honored traditions – they reveal how the product is made and the processes passed down through generations to create patterns for the market today.

TAKUMI™

Artisan Crafted Wallcoverings

CRAFTED BY:

*A Story | Generations | Authenticity | The Heart of an Artisan
Inspiration | The Stroke of a Brush | Brilliance | Collaboration*

CRAFTED FOR YOU

Enjoy the journey.





FOIL STORY

The method of producing gold leaf is universal, having remained essentially unchanged over thousands of years. The key differences are in the materials used, the beating process, and the number of times the gold is beaten. The base material for these products is mainly washi paper. The process of hand stamping on washi paper is very delicate and requires a high level of skill, patience, and concentration.

Takumi features a range of foils from platinum and gold leaf to silver foil and silver foil discolored by firing it with sulfur. Various types of foils such as brass, aluminum, and tin foil are also used.

The standard design of gold leaf is called Hiraoshi, which is an orderly arrangement of square foil. There are other types as well, such as Kokuzu-furi, Momi, Ohbaku-Chirashi, and Obi. Kokuzu-furi is made by spreading fine foil flakes evenly over the washi paper. Momi is crafted by placing gold and silver paper by hand to create an uneven design. Stamping foil at random creates Ohbaku-Chirashi and Obi is fabric folded in a zigzag pattern and stamped with foil on top.

Foil's presence and elegance make it a favorite choice in high-end luxury interior spaces around the world.

See the pride in craftsmanship shine through.





EXQUISITE FOILS



TAK-AA01-01



TAK-AA01-02



TAK-AA01-01 SPECIFICATIONS

Content: Tin

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Approximate Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

TAK-AA01-02 SPECIFICATIONS

Content: Brass

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Approximate Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84




Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



EXQUISITE FOILS



TAK-AA02-01



TAK-AA02-02



TAK-AA02-03



TAK-AA02-01 SPECIFICATIONS

Content: Aluminum
Backing: Paper
Width (approx): 93 cm. (36.6 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Random Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84

TAK-AA02-02 SPECIFICATIONS

Content: Aluminum
Backing: Paper
Width (approx): 93 cm. (36.6 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Random Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84

TAK-AA02-03 SPECIFICATIONS

Content: Brass
Backing: Paper
Width (approx): 93 cm. (36.6 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Random Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84



Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.




EXQUISITE FOILS



TAK-AA03-01



TAK-AA03-02



**TAK-AA03-01
SPECIFICATIONS**

Content: Silver

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

**TAK-AA03-02
SPECIFICATIONS**

Content: Print on Silver

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84



Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.





EXQUISITE FOILS



TAK-AA04-01



TAK-AA04-02



TAK-AA05-01





TAK-AA04-01 SPECIFICATIONS

Content: Aluminum

Backing: Paper

Width (approx): 91 cm. (35.8 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity:
15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 91 cm. (35.8 in.)

Horizontal Repeat: 91 cm. (35.8 in.)

Fire Code: Class A, ASTM E-84

TAK-AA04-02 SPECIFICATIONS

Content: Aluminum

Backing: Paper

Width (approx): 91 cm. (35.8 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity:
15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 91 cm. (35.8 in.)

Horizontal Repeat: 91 cm. (35.8 in.)

Fire Code: Class A, ASTM E-84

TAK-AA05-01 SPECIFICATIONS

Content: Pulp

Backing: Paper

Width (approx): 91.5 cm. (36 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity:
15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 62.5 cm. (24.6 in.)

Horizontal Repeat: 91.5 cm. (36 in.)

Fire Code: Class A, ASTM E-84

[**T**]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



EXQUISITE FOILS



TAK-AA06-01



TAK-AA06-02



TAK-AA06-03

TAKUMI[™]

Artisan Crafted Wallcoverings



TAK-AA06-01 SPECIFICATIONS

Content: Brass
Backing: Paper
Width (approx): 92 cm. (36.2 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Approximate Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84

TAK-AA06-02 SPECIFICATIONS


Content: Aluminum
Backing: Paper
Width (approx): 92 cm. (36.2 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Approximate Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84

TAK-AA06-03 SPECIFICATIONS

Content: Tin
Backing: Paper
Width (approx): 92 cm. (36.2 in.)
Roll Size (approx): 7.4 m. (8.1 yd.)
Sold by the Roll
Minimum Order Quantity: 1 Roll
Installation: Approximate Match
Vertical Repeat: N/A
Horizontal Repeat: N/A
Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.




EXQUISITE FOILS



TAK-AA07-01



TAK-AA07-02



SPECIFICATIONS

Content: Print on Aluminum

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 64 cm. (25.2 in.)

Horizontal Repeat: 92 cm. (36.2 in.)

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

[**T**]
TAKUMI

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



EXQUISITE FOILS



TAK-AA08-01



TAK-AA08-02



SPECIFICATIONS

Content: Print on Aluminum

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 64.1 cm. (25.2 in.)

Horizontal Repeat: 92 cm. (36.2 in.)

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



EXQUISITE FOILS



TAK-AA09-01



TAK-AA09-02

TAK-AA09-01 SPECIFICATIONS

Content: Aluminum

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

TAK-AA09-02 SPECIFICATIONS

Content: Brass

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 7.4 m. (8.1 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[**T**]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.




WASHI PAPER STORY

The word washi comes from “Wa” meaning Japanese and “Shi” meaning paper. Washi Paper is a traditional Japanese paper made from plant fiber and relies heavily on manual methods of production. It involves a long and intricate process that is often undertaken in the cold weather of winter, as pure, cold running water is essential to the creation of washi.

The Kozo tree bark is steamed, washed, peeled, and boiled further to remove impurities and soften it by beating. It is then moved to the final step in water along with a sticky plant component called Neri. Traditional methods and clean water are important in the production of washi.

For centuries, colorful designs applied by woodblock have been made for decorative use, including hand-painted effects. Washi is traditionally used in screens, lamps, and blinds, taking advantage of its translucency. As a craft, washi is considered to be part of Japan’s cultural heritage dating back 1,400 years. The washi papers featured in Takumi are hand painted with the delicate touch of an artist’s brush to create a unique look for the wall.

Unfold the traditions and beauty.





ARTIST'S BRUSH



TAK-BA01-01



TAK-BA01-02



SPECIFICATIONS

Content: Paper

Backing: N/A

Width (approx): 95 cm. (37.4 in.)

Roll Size (approx): 3 m. (3.3 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84


[**T**]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com





ARTIST'S BRUSH



TAK-BB01-01



TAK-BB02-01



TAK-BB02-02



SPECIFICATIONS

Content: Paper

Backing: N/A

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 3 m. (3.3 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



TAKUMI™
Artisan Crafted Wallcoverings



SPECIFICATIONS

Content: Mulberry

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 15 m. (16.4 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84




Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com

[T]
TAKUMI





OPULENT CORKS



TAK-CA01-01



TAK-CA01-02



TAK-CA01-03



TAK-CA01-04



TAK-CA01-05



TAK-CA01-06



TAK-CA01-07



TAK-CA01-08



TAK-CA01-09



TAK-CA01-10




OPULENT CORKS



TAK-CA02-01



TAK-CA03-01



TAK-CA04-01

TAKUMI[™]

Artisan Crafted Wallcoverings



SPECIFICATIONS

Content: Cork

Backing: Paper

Width (approx): 91.5 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



OPULENT CORKS



TAK-CA05-01



TAK-CA05-02





SPECIFICATIONS

Content: Cork

Backing: Paper

Width (approx): 90 cm. (35.4 in.)

Roll Size (approx): 30 m. (32.8 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[**T**]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



PRECIOUS MINERALS



TAK-DA01-01



TAK-DA01-02



TAK-DA01-03



SPECIFICATIONS

Content: Pulp & Mica Chips

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A


Fire Code: Class A, ASTM E-84

[**T**]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



REFINED GRASSCLOTHS



TAK-FA01-01



TAK-FA01-02



SPECIFICATIONS

Content: Arrowroot

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 15 m. (16.4 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



A WEAVER'S STORY

Since the 1930s, the Japanese textile industry has been manufacturing woven Fusuma paper made from natural materials such as cotton and hemp. Soon after, they began to weave thin textiles made of rayon yarn that was newly developed from wood pulp. These products were laminated to paper and sold as wallcovering.

Woven wallpaper ranges from traditional fabric materials such as cotton, silk, and rayon to woven natural fibers as rare as paperweave and linen. All are characterized by the unique texture of each raw yarn, the three-dimensional texture created by the warp and weave of the surface, and the texture and persuasiveness of the real thing.

A woven fabric is made by spinning together thousands of threads, twisted and dyed in different colors, lengthwise and crosswise. The rich creativity and traditional skills of artisans, who are well-versed in the characteristics of the material, are evident in the woven wallpapers and the coloration and layering of the finished product.

Our woven wallpapers fuse tradition with new technology and will contribute to society by conveying the rich culture of Japan to the world and enriching people's lives.

Weave history into your design.





TAKUMI™
Artisan Crafted Wallcoverings

SPECIFICATIONS

Content: Linen

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments




Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



INTRICATE WEAVES



TAK-EA01-01



TAK-EA01-02



TAK-EA01-03



TAK-EA01-04



TAK-EA01-05



INTRICATE WEAVES



TAK-EA02-01



TAK-EA02-02



TAK-EA02-03



TAK-EA02-04



SPECIFICATIONS

Content: Abaca

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 15 m. (16.4 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



INTRICATE WEAVES



TAK-EA03-01



TAK-EA03-02



TAK-EA03-03

SPECIFICATIONS

Content: Abaca

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 15 m. (16.4 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com

[T]
TAKUMI



INTRICATE WEAVES



TAK-EA04-01



TAK-EA04-02



SPECIFICATIONS

Content: Manila Hemp

Backing: Pulp Paper Covered with Aluminum Leaf

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84




TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com





SPECIFICATIONS

Content: Paperweave

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 15 m. (16.4 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A




Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.


sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com

[T]
TAKUMI



INTRICATE WEAVES




TAK-EC01-01




TAK-EC01-02




TAK-EC01-03



TAK-EC01-04



TAK-EC01-05



TAK-EC01-06





INTRICATE WEAVES



TAK-EB01-01



TAK-EB01-02



SPECIFICATIONS

Content: Twisted Paper Yarn with PE Yarn

Backing: Paper

Width (approx): 90 cm. (35.4 in.)

Roll Size (approx): 30 m. (32.8 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments

Installation: Approximate Match

Vertical Repeat: 77 cm. (30.3 in.)

Horizontal Repeat: 90 cm. (35.4 in.)


Fire Code: Class A, ASTM E-84


[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com





SPECIFICATIONS

Content: Paperweave

Backing: Paper

Width (approx): 92 cm. (36.2 in.)

Roll Size (approx): 50 m. (54.7 yd.)

Sold by the Linear Meter

Minimum Order Quantity: 15 m. at 1 m. increments




Installation: Random Match

Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



INTRICATE WEAVES



TAK-ED01-01



TAK-ED01-02



TAK-ED01-03



TAK-ED01-04



TAK-ED01-05



TAK-ED01-06



TAKUMI[™]
Artisan Crafted Wallcoverings



SPECIFICATIONS

Content: Wood Veneer

Backing: Paper

Width (approx): 91.5 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Straight Match

Vertical Repeat: 26.4 cm. (10.4 in.)

Horizontal Repeat: 45.8 cm. (18 in.)





Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com

[T]
TAKUMI



ELEGANT WOODS



TAK-GA01-01



TAK-GA01-02



TAK-GA01-03



TAK-GA01-04



TAK-GA01-05



TAK-GA01-06





TAKUMI™
Artisan Crafted Wallcoverings



SPECIFICATIONS

Content: Cork

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Random Match




Vertical Repeat: N/A

Horizontal Repeat: N/A

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.


[T]
TAKUMI



OPULENT CORKS



TAK-CA06-01



TAK-CA07-01



TAK-CA07-02



TAK-CA07-03



OPULENT CORKS



TAK-CB01-01



TAK-CB01-01 SPECIFICATIONS

Content: Cork

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Straight Match

Vertical Repeat: 18 cm. (7.09 in.)

Horizontal Repeat: 18 cm. (7.09 in.)

Fire Code: Class A, ASTM E-84

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.

[**T**]
TAKUMI

sangetsu | goodrich

www.goodrichglobal.com
info@goodrichglobal.com



TAKUMI™
Artisan Crafted Wallcoverings



TAK-EE01-01 SPECIFICATIONS

Content: Raffia

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Straight Match

Vertical Repeat: 18 cm. (7.09 in.)

Horizontal Repeat: 18 cm. (7.09 in.)

Fire Code: Class A, ASTM E-84

TAK-EE01-02 SPECIFICATIONS

Content: Raffia

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Straight Match

Vertical Repeat: 18 cm. (7.09 in.)

Horizontal Repeat: 18 cm. (7.09 in.)

Fire Code: Class A, ASTM E-84

TAK-EE02-01 SPECIFICATIONS

Content: Sisal

Backing: Non-Woven

Width (approx): 91.4 cm. (36 in.)

Roll Size (approx): 7.3 m. (8 yd.)

Sold by the Roll

Minimum Order Quantity: 1 Roll

Installation: Straight Match




Vertical Repeat: 18 cm. (7.09 in.)

Horizontal Repeat: 18 cm. (7.09 in.)


Fire Code: Class A, ASTM E-84

[T]
TAKUMI

Due to the handcrafted nature of this material, there may be a slight variance in design and color. This is part of the inherent beauty of natural wallcoverings.



INTRICATE WEAVES



TAK-EE01-01



TAK-EE01-02



TAK-EE02-01

www.goodrichglobal.com/Takumi